(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization International Bureau



(43) International Publication Date 12 February 2004 (12.02.2004)

PCT

(10) International Publication Number WO 2004/013233 A1

(51) International Patent Classification⁷: 29/01 // D21H 21/28

C09B 43/16,

(21) International Application Number:

PCT/EP2003/007770

(22) International Filing Date: 17 July

17 July 2003 (17.07.2003)

(25) Filing Language:

English

(26) Publication Language:

Enelish

(30) Priority Data: 02405652.5

26 July 2002 (26.07.2002) EP

(71) Applicant (for all designated States except US): CIBA SPECIALTY CHEMICALS HOLDING INC. [CH/CH]; Klybeckstrasse 141, CH-4057 Basel (CH).

(72) Inventors; and

(75) Inventors/Applicants (for US only): LENNARTZ, Michael [DI/DE]; Binzener Strasse 5a, 79539 Lörrach (DE). WEISS, Sandra [DE/DE]; Hachbergstrasse 45, 79541 Lörrach-Brombach (DE).

(74) Common Representative: CIBA SPECIALTY CHEMI-CALS HOLDING INC.; Patentableilung, Klybeckstrasse 141, CH-4057 Basel (CH).

(81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW). Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO. SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

- with international search report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: ANIONIC MONOAZO DYES

$$\begin{array}{c} A \\ N \\ N \end{array}$$

$$\begin{array}{c} OH \\ HO_3S \end{array}$$

$$\begin{array}{c} OH \\ N \\ N \\ N \end{array}$$

$$\begin{array}{c} OH \\ N \\ N \\ N \end{array}$$

$$\begin{array}{c} OH \\ N \\ N \\ N \end{array}$$

$$\begin{array}{c} OH \\ N \\ N \\ N \end{array}$$

$$\begin{array}{c} OH \\ N \\ N \\ N \end{array}$$

$$\begin{array}{c} OH \\ N \\ N \\ N \end{array}$$

$$\begin{array}{c} OH \\ N \\ N \\ N \end{array}$$

$$\begin{array}{c} OH \\ N \\ N \\ N \end{array}$$

$$\begin{array}{c} OH \\ N \\ N \\ N \end{array}$$

$$\begin{array}{c} OH \\ N \\ N \\ N \end{array}$$

$$\begin{array}{c} OH \\ N \\ N \\ N \end{array}$$

$$\begin{array}{c} OH \\ N \\ N \\ N \end{array}$$

$$\begin{array}{c} OH \\ N \\ N \\ N \end{array}$$

$$\begin{array}{c} OH \\ N \\ N \\ N \end{array}$$

$$\begin{array}{c} OH \\ N \\ N \\ N \end{array}$$

$$\begin{array}{c} OH \\ N \\ N \\ N \end{array}$$

$$\begin{array}{c} OH \\ N \\ N \\ N \end{array}$$

$$\begin{array}{c} OH \\ N \\ N \\ N \end{array}$$

$$\begin{array}{c} OH \\ N \\ N \\ N \end{array}$$

$$\begin{array}{c} OH \\ N \\ N \\ N \end{array}$$

$$\begin{array}{c} OH \\ N \\ N \\ N \end{array}$$

$$\begin{array}{c} OH \\ N \\ N \\ N \end{array}$$

$$\begin{array}{c} OH \\ N \\ N \\ N \end{array}$$

$$\begin{array}{c} OH \\ N \\ N \\ N \end{array}$$

$$\begin{array}{c} OH \\ N \\ N \\ N \end{array}$$

$$\begin{array}{c} OH \\ N \\ N \\ N \end{array}$$

$$\begin{array}{c} OH \\ N \\ N \\ N \end{array}$$

$$\begin{array}{c} OH \\ N \\ N \\ N \end{array}$$

$$\begin{array}{c} OH \\ N \\ N \\ N \end{array}$$

$$\begin{array}{c} OH \\ N \\ N \\ N \end{array}$$

$$\begin{array}{c} OH \\ N \\ N \\ N \end{array}$$

$$\begin{array}{c} OH \\ N \\ N \\ N \end{array}$$

$$\begin{array}{c} OH \\ N \\ N \\ N \end{array}$$

$$\begin{array}{c} OH \\ N \\ N \\ N \end{array}$$

$$\begin{array}{c} OH \\ N \\ N \\ N \end{array}$$

$$\begin{array}{c} OH \\ N \\ N \\ N \end{array}$$

$$\begin{array}{c} OH \\ N \\ N \\ N \end{array}$$

$$\begin{array}{c} OH \\ N \\ N \\ N \end{array}$$

$$\begin{array}{c} OH \\ N \\ N \\ N \end{array}$$

$$\begin{array}{c} OH \\ N \\ N \\ N \end{array}$$

$$\begin{array}{c} OH \\ N \\ N \\ N \end{array}$$

$$\begin{array}{c} OH \\ N \\ N \\ N \end{array}$$

$$\begin{array}{c} OH \\ N \\ N \\ N \end{array}$$

$$\begin{array}{c} OH \\ N \\ N \\ N \end{array}$$

$$\begin{array}{c} OH \\ N \\ N \\ N \end{array}$$

$$\begin{array}{c} OH \\ N \\ N \\ N \end{array}$$

$$\begin{array}{c} OH \\ N \\ N \\ N \end{array}$$

$$\begin{array}{c} OH \\ N \\ N \\ N \end{array}$$

$$\begin{array}{c} OH \\ N \\ N \\ N \end{array}$$

$$\begin{array}{c} OH \\ N \\ N \\ N \end{array}$$

$$\begin{array}{c} OH \\ N \\ N \\ N \end{array}$$

$$\begin{array}{c} OH \\ N \\ N \\ N \end{array}$$

$$\begin{array}{c} OH \\ N \\ N \\ N \end{array}$$

$$\begin{array}{c} OH \\ N \\ N \\ N \end{array}$$

$$\begin{array}{c} OH \\ N \\ N \\ N \end{array}$$

$$\begin{array}{c} OH \\ N \\ N \\ N \end{array}$$

$$\begin{array}{c} OH \\ N \\ N \\ N \end{array}$$

$$\begin{array}{c} OH \\ N \\ N \\ N \end{array}$$

$$\begin{array}{c} OH \\ N \\ N \\ N \end{array}$$

$$\begin{array}{c} OH \\ N \\ N \\ N \end{array}$$

$$\begin{array}{c} OH \\ N \\ N \end{array}$$

$$\begin{array}{c}$$

(57) Abstract: Anionic monoazo dyes of the formula (1) in which A represents a 1- or 2-naphthyl residue, which is substituted by a total of one or two sulphonic and/or carboxylic acid groups. R₁ represents hydrogen or C₁-C₄alkyl, each D₁ and D₂, independently of the other, represent either an amino acid residue resulting from removal of a hydrogen atom from the amino group of the amino acid or the residue -NR₂R₃, in which each R₂ and R₃, independently of the other, represent hydrogen, C₁-C₄alkyl, C₂-C₆alkyl which is substituted by hydroxy, halogen or cyano, phenyl which is unsubstituted or monosubstituted by hydroxy, halogen, SO₃H, C₁-C₄alkyl or C₁-C₄alkyoy or alternatively, R₂ and R₃, together with the nitrogen atom to which they are connected, complete a saturated, 5- or 6-membered ring which may contain, in addition to the nitrogen atom, one nitrogen or oxygen atom and which may be further substituted and n is 0 or 1, a process for their preparation and the use of these dyes for dyeing natural or synthetic materials, in particular, paper.

WO 2004/013233 A1 IIII

INTERNATIONAL SEARCH REPORT

PCT/EF 03/07770

A. CLASS IPC 7	IFICATION OF SUBJECT MATTER C09B43/16 C09B29/01 //D21H2	21/28								
According to International Patent Classification (IPC) or to both national classification and IPC B. FIELDS SEARCHED										
Minimum d	ocumentation searched (classification system followed by classifica-	ation symbols)								
IPC 7 CO9B										
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched										
	iala base consulted during the International search (name of data t	pase and, where practical, search terms used) .							
CHEM ABS Data, EPO-Internal										
C. DOCUMENTS CONSIDERED TO BE RELEVANT										
Category °	Citation of document, with indication, where appropriate, of the r	elevant nassanes	Relevant to claim No.							
	The state of the s		netevalitio Galiff No.							
A	WO 97 35925 A (CLARIANT INTERNAT LIMITED) 2 October 1997 (1997-10 claims; examples	1-10								
A	FR 2 512 041 A (BAYER AG) 4 March 1983 (1983-03-04) page 13, line 1 -page 14, line 1	1–10								
A	DE 195 18 356 A (HOECHST AG) 21 November 1996 (1996-11-21) the whole document		1–10							
A	GB 2 330 841 A (ZENECA LTD) 5 May 1999 (1999-05-05) claims; examples	1-10								
:										
* Füril	ner documents are listed in the continuation of box C.	Patent family members are listed in	n annex.							
Special ca	tegories of cited documents :	ATA 1-1								
A document defining the general state of the art which is not after the international filing date or priority date and not in conflict with the application but										
considered to be of particular relevance invention invention 'E* earlier document but published on or after the international invention										
Ming date A document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to livolve an inventive step when the document is taken along.										
citation	s cited to establish the publication date of another or other special reason (as specified)	"Y" document of particular relevance; the cla cannot be considered to involve an invo	entive step when the							
other r	Of document reterring to an oral disclosure, use, exhibition or other means document is combined with one or more other such as a such document is combined with one or more other such as a such a									
'P' docume later th	nt published prior to the international filing date but an the priority date claimed	in the art. & document member of the same patent family								
Date of the actual completion of the International search Date of mailing of the international search report										
1	4 October 2003	22/10/2003								
Name and m	nailing address of the ISA European Patent Office, P.B. 5818 Patentlaan 2	Authorized officer								
	NL – 2280 HV Rijswijk Tel. (+31-70) 340–2040, Tx. 31 651 epo ni, Fax: (+31-70) 340–3016	Ginoux, C								

INTERNATIONAL SEARCH REPORT

PCT/EP 03/07770

Patent document cited in search report		Publication date		Patent family member(s)		Publication date
WO 9735925	A	02-10-1997	AU	718334 B	2	13-04-2000
			ΑU	1654397 A	1	02-10-1997
			DE	69707122 D	1	08-11-2001
			DE	69707122 T	2	02-05-2002
			EP	0891394 A	.1	20-01-1999
			ES	2166065 T	3	01-04-2002
			WO	9735925 A	1	02-10-1997
			JP	2000507297 T	•	13-06-2000
			US	5929215 A	ı	27-07-1999
FR-2512041	Anser	04-03-1983-	DE-	3133568- A	1	10-03-1983
			CH	670184 A		31-05-1989
			FR	2512041 A	.1	04-03-1983
DE 19518356	A	21-11-1996	DE	19518356 A	1	21-11-1996
GB 2330841	Α	05-05-1999	NONE			

Form PCT/ISA/210 (patent family annex) (July 1992)